



Florida Department of Environmental Protection

Bob Martinez Center 2600 Blair Stone Road Tallahassee, Florida 32399-2400 Charlie Crist Governor

Jeff Kottkamp Lt. Governor

Michael W. Sole Secretary

October 19, 2009

Mr. Brian Syme
Department of the Navy
Naval Facilities Engineering Command Southeast
Naval Air Station Jacksonville
135 Ajax Street, Building 903
Post Office Box 30
Jacksonville, Florida 32212-0030

RE: Corrective Measures Study Addendum for SWMUs 1, 23, 24, and 25, Naval Station Mayport, USEPA ID #FL9 170 024 260, Mayport, Florida (Tetra Tech NUS, June 28,

2007)

Dear Mr. Syme:

I have reviewed the subject document dated June 28, 2007, which was received on July 3, 2007. This letter report is an addendum to the Corrective Measures Study (CMS) Report for Solid Waste Management Units (SWMUs) 1, 23, 24, and 25 which was issued on November 10, 2004. The report is adequate for its intent and purpose. However, at the next Partnering Meeting(s), we need to discuss benzo(a)pyrene equivalents and how to arrive at these results (and how to report them).

Thank you for the opportunity to review this document. If you require additional clarification or other assistance, please feel free to contact me at 850/245-8999.

Sincerely,

CC

John Winters, P.G.

Remedial Project Manager

Tim Bahr, FDEP, Tallahassee

ESN<u>ESN</u>